Go Clean Fine Fabric Cleaner

Page 1 of 7 1.0011

Version:
Revision Date:
Print Date:

03/05/2019

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Go Clean Fine Fabric Cleaner

PRODUCT USE: Cleaner

MANUFACTURED FOR: Go Clean Chemical

3110 Venture Drive Las Vegas, NV 89101

866-839-7588

INFORMATION PHONE: 702-387-9625

EMERGENCY PHONE: INFOTRAC

1-800-535-5053 USA & Canada 352-323-3500 International

# SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 5

Eye Damage: Category 2B

PICTOGRAMS:

GHS ELELMENTS:

SIGNAL WORD: Warning

HAZARD STATEMENT(S): H303 | May be harmful if swallowed.

H320 | Causes eye irritation.

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 | Call a POISON CENTER or doctor/physician if you feel unwell. P337 + P313 | If eye irritation persists: Get medical advice/attention.

ADDITIONAL PRECAUTIONS: None Known

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	FUNCTIONAL PURPOSE	PERCENT
2-Butoxyethanol Primary Alkane Sulfonate 2-Propanol Nonylphenol ethoxylate Sodium Thiosulfate	111-76-2	Solvent	10 - 20%
	5324-84-5	Surfactant	5 - 10%
	67-63-0	Solvent	5 - 10%
	127087-87-0	Surfactant	1 - 5%
	10102-17-7	Alkaline Builder	< 1.0%

#### Go Clean Fine Fabric Cleaner

Page 2 of 7

Revision Date:
Print Date:

03/05/2019

Perfume Chloromethylisothiazolone Not Available 55965-84-9

Fragrance Preservative < 1.0% < 1.0%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

## SECTION 4 - FIRST AID MEASURES

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of

water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Get medical attention immediately.

SKIN: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

INHALATION: Move exposed person to fresh air. If breathing is irregular or if respiratory

arrest occurs, provide artificial respiration or oxygen by trained personnel.

Loosen clothing. Get medical attention immediately.

INGESTION: Wash out mouth with water. Do not induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

GENERAL: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

#### SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may

burst.

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal

oxide/oxides, halogenated compounds.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform relevant authorities if the product

reaches sewers, waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb

with inert dry material. Dispose of according to local regulations. See Section

1 for emergency contact information and 13 for waste disposal.

Go Clean Fine Fabric Cleaner

Page 3 of 7 1.0011

Version:
Revision Date:
Print Date:

NA

03/05/2019

## SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating

drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away

from foods, drink and incompatible materials. Keep container tightly closed.

Do not store unlabeled. Use appropriate containment.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits.

Mechanical ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards

of the product & the safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the

task being performed and the risks involved and should be approved by a

specialist before handling this product.

ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
20.00	None	None
200.00	400.00	None
200.00	400.00	None
10.00	None	None
None	None	None
None	None	None
None	None	None
	20.00 200.00 200.00 10.00 None None	20.00 None 200.00 400.00 200.00 400.00 10.00 None None None None None

#### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

VAPOR DENSITY:

PHYSICAL STATE: Liquid UPPER EXPLOSIVE LIMITS: NA
COLOR: Clear LOWER EXPLOSIVE LIMITS: NA
ODOR: Green apple VAPOR PRESSURE: NA

ODOR THRESHOLD:

NA

Go Clean Fine Fabric Cleaner

Page 4 of 7

03/05/2019

Revision Date: Print Date:

PH: 08.1 - 10.0 RELATIVE DENSITY: NA

MELTING POINT: NA SOLUBILITY: Completely Water

Soluble

30.00 F FRFF7ING POINT:

PARTITION COEFFICIENT: NA **BOILING POINT:** NA

> **AUTO-IGNITION TEMPERATURE:** NA

FLASH PT METHOD: NA **DECOMPOSITION TEMPERATURE:** NA

FLASH POINT: NA SPECIFIC GRAVITY: 1.01900

**EVAPORATION RATE:** NA % VOLATILE: 2.50000

FLAMMABILITY: Nonflammable VISCOSITY (cst): NA

## SECTION 10 - STABILITY AND REACTIVITY

**REACTIVITY:** HAZARDOUS DECOMPOSITION PRODUCTS

Stable under normal conditions CHEMICAL STABILITY:

POSSIBILITY OF HAZARDOUS

**REACTIONS:** 

Stable under normal conditions

CONDITIONS TO AVOID: None known

INCOMPATIBLE MATERIALS: Strong acids and oxidizers.

HAZARDOUS DECOMPOSITION

PRODUCTS:

Material does not decompose at ambient temperatures.

## SECTION 11 - TOXICOLOGICAL INFORMATION

**ROUTES OF ENTRY:** Inhalation Absorption Ingestion

**ACUTE EXPOSURE HAZARDS:** 

EYE CONTACT: Irritation

**DERMAL**: None expected.

ORAL: Nausea, diarrhea.

INHALATION: Minimally toxic based on test data for structurally similar materials.

2-Butoxyethanol (CAS No. 111-76-2)

Oral LD50: Rat 470 mg/kg

Primary Alkane Sulfonate (CAS No. 5324-84-5)

Oral LD50: greater than 5000mg/kg rat

2-Propanol (CAS No. 67-63-0)

Go Clean Fine Fabric Cleaner

Page 5 of 7

1.0011 03/05/2019 Revision Date: Print Date:

Oral LD50: Rat 5045 mg/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)

Oral LD50: Rat 1600 mg/kg

Sodium Thiosulfate (CAS No. 10102-17-7)

Oral LD50: 5000mg/kg rat

Chloromethylisothiazolone (CAS No. 55965-84-9)

Oral LD50: 66mg/kg rabbit Dermal LD50: 141mg/kg rat

#### SECTION 12 - ECOLOGICAL INFORMATION

**ECOTOXICITY:** No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

2-Butoxyethanol (CAS No. 111-76-2)

Fish LC50: 1250mg/L, 96h, Inland Solverside Crustacean LC50: Daphnia 1818 mg/L 24h Primary Alkane Sulfonate (CAS No. 5324-84-5) Fish LC50: greater than 1400mg/L 96h Bluegill 2-Propanol (CAS No. 67-63-0)

Fish LC50: Minnow 9640 mg/L 96h Sodium Thiosulfate (CAS No. 10102-17-7)

Fish LC50: 178mg/L 72h goldfish

Chloromethylisothiazolone (CAS No. 55965-84-9)

Fish LC50: 0.22mg/L 96h trout

Crustacean LC50: 6.76mg/L 48h daphnia

#### SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

#### SECTION 14 - TRANSPORT INFORMATION

DOT (US)

**UN NUMBER:** NA

SHIPPING NAME: NA

#### Go Clean Fine Fabric Cleaner

Page 6 of 7 1.0011

03/05/2019 Revision Date: Print Date:

TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

## **SECTION 15 - REGULATORY INFORMATION**

SARA 313 COMPONENTS CAS NO. % LESS THAN

111-76-2 10 - 20% 2-Butoxyethanol Primary Alkane Sulfonate 5324-84-5 5 - 10% 2-Propanol 67-63-0 5 - 10%

CALIFORNIA PROP. 65 COMPONENTS CAS NO. % LESS THAN

2-Butoxyethanol 111-76-2 10 - 20% Nonylphenol ethoxylate 127087-87-0 1 - 5%

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm...

RTK: PA, NJ, MA

127087-87-0 Nonylphenol polyethylene glycol ether 90 - 100 %

25322-68-3 Polyethylene glycol 1 - 5 %

123-91-1 1,4-Dioxane 0 - 0.1 % 64-19-7 Acetic acid 0 - 0.1 % 75-21-8 Ethylene oxide 0 - 0.1 %

RTK: MA, PÁ, NJ,

WARNING! This product contains a chemical known to the

State of California to cause cancer birth defects or other reproductive

123-91-1 1,4-Dioxane 0 - 0.1 % 64-19-7 Acetic acid 0 - 0.1 % 75-21-8 Ethylene oxide 0 - 0.1 %

#### SECTION 16 - OTHER INFORMATION

#### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	А

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- Safety Glasses
- Safety Glasses, Gloves Safety Glasses, Gloves, Apron
- Face Shield, Gloves, Apron
- Safety Glasses, Gloves, Dust Respirator


- Safety Glasses, Gloves, Apron, Dust Respirator Safety Glasses, Gloves, Vapor Respirator Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- Safety Glasses, Gloves, Dust & Vapor Respirator Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- Airline Hood or Mask, Gloves, Full Suit, Boots
- Consult your supervisor for special handling directions

#### Go Clean Fine Fabric Cleaner

Page 7 of 7 1.0011

Revision Date: 03/05/2019 Print Date: 03/21/2021

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.