Go Clean Spot Wiser P.O.G.

 Page 1 of 7

 Version:
 1.0011

 Revision Date:
 02/08/2019

 Print Date:
 03/21/2021

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Go Clean Spot Wiser P.O.G.

PRODUCT USE: Cleaner

MANUFACTURED FOR: Go Clean Chemical 3110 Venture Drive Las Vegas, NV 89101

866-839-7588

INFORMATION PHONE: 702-387-9625

EMERGENCY PHONE: INFOTRAC 1-800-535-5053 USA & Canada 352-323-3500 International

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION:

Acute Toxicity - Oral: Category 4 Acute Toxicity - Inhalation: Category 4 Skin Corrosion: Category 3 Eye Damage: Category 2B

PICTOGRAMS:

GHS ELELMENTS:

SIGNAL WORD:

HAZARD STATEMENT(S):



Warning

- H302 | Harmful if swallowed.
- H332 Harmful if inhaled.
- H316 Causes mild skin irritation.
- H320 | Causes eye irritation.

PRECAUTIONARY STATEMENT(S):

- P261 | Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash any exposed body parts thoroughly after handling.
- P270 | Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.

P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 | Call a POISON CENTER or doctor/physician if you feel unwell. P330 | Rinse mouth.

P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 | If eye irritation persists: Get medical advice/attention.

P501 | Dispose of contents/container to appropriate waste disposal entity in

Go Clean Spot Wiser P.O.G. Page 2 of 7 Version: 1.0011 Revision Date:

02/08/2019

accordance with local/regional/national/international regulation.

| | DDECAUTIONS. |
|------------|--------------|
| ADDITIONAL | PRECAUTIONS: |

None Known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

Solvent 2-Butoxyethanol Ethoxylated Alcohol 64742-47-8 111-76-2 68439-46-3

CAS #

FUNCTIONAL PURPOSE PERCENT

Print Date:

Solvent

Solvent

Surfactant

50 - 60% 20 - 30% 1 - 5%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

| SECTION 4 - FIRST AID MEASURES | |
|--------------------------------|---|
| EYES: | Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. |
| SKIN: | Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops. |
| INHALATION: | Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately. |
| INGESTION: | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately. |
| GENERAL: | Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested. |

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES

| FLAMMABILITY: | In a fire or if heated, a pressure increase will occur and the container may burst. |
|-------------------------|---|
| EXTINGUISHING MEDIA: | Use an extinguishing agent suitable for the surrounding fire. |
| PROTECTIVE EQUIPMENT: | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode. |
| ADDITIONAL INFORMATION: | Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds. |

SECTION 6 - ACCIDENTAL RELEASE MEASURES

 Go Clean Spot Wiser P.O.G.

 Page 3 of 7

 Version:
 1.0011

 Revision Date:
 02/08/2019

| | | Print Date: | 03/21/202 |
|-----------------------|---|--------------------------|-----------|
| PERSONAL PRECAUTIONS: | No action should be taken involving individual risk or Isolate area. Avoid contact with material. Do not bre adequate ventilation. Wear proper personal protectiv | athe vapors. Provide | ıg. |
| ENVIRONMENTAL: | Avoid dispersal of spilled material and runoff and cor waterways, drains and sewers. Inform relevant author reaches sewers, waterways or soil. | | |
| CONTAINMENT/CLEANUP: | Stop leak if without risk. Move containers from spill a with inert dry material. Dispose of according to local 1 for emergency contact information and 13 for wast | regulations. See Section | n |

SECTION 7 - HANDLING AND STORAGE

| SAFE HANDLING: | Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container. |
|----------------|---|
| SAFE STORAGE: | Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment. |

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

| ENGINEERING CONTROLS: | Apply technical measures to comply with occupational exposure limits. Mechanical ventilation, eye-wash stations, showers where necessary. | | |
|---|---|---|----------------------------------|
| EYE PROTECTION: | Safety eye-wear/face shield con used when a risk assessment in liquid splashes, mists or dusts. | | |
| RESPIRATORY PROTECTION: | Use a properly fitted air-purifyir approved standard if a risk asse selection must be based on kno of the product & the safe working | essment indicates necessity. F wn or anticipated exposure le | Respirator evels, the hazards |
| HAND PROTECTION: | Chemical resistant, impervious of should be worn at all times whe assessment indicates this is nec | en handling chemical products | proved standard s if a risk |
| SKIN PROTECTION: | Personal protective equipment f task being performed and the ri specialist before handling this p | isks involved and should be a | ed based on the pproved by a |
| COMPONENT: | ACGIH TWA ppm | OSHA/NIOSH STEL ppm | OSHA/ACGIH STEL mg/m3 |
| Solvent 2-Butoxyethanol Ethoxylated Alcohol | 152.00 20.00 None | None None None | None None None |

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Go Clean Spot Wiser P.O.G. Page 4 of 7

| | | | Page 4 of 7 Version: 1.0011 Revision Date: 02/08/2019 Print Date: 03/21/2021 |
|-------------------|-----------|----------------------------|--|
| PHYSICAL STATE: | Liquid | UPPER EXPLOSIVE LIMITS: | NA 03/21/2021 |
| COLOR: | Clear | LOWER EXPLOSIVE LIMITS: | NA |
| ODOR: | Solvent | VAPOR PRESSURE: | NA |
| ODOR THRESHOLD: | NA | VAPOR DENSITY: | NA |
| PH: | NA | RELATIVE DENSITY: | NA |
| MELTING POINT: | NA | SOLUBILITY: | Completely Water Soluble |
| FREEZING POINT: | NA | PARTITION COEFFICIENT: | NA |
| BOILING POINT: | NA | AUTO-IGNITION TEMPERATURE: | NA |
| FLASH PT METHOD: | NA | | |
| FLASH POINT: | 115.00 | DECOMPOSITION TEMPERATURE | : NA |
| | | SPECIFIC GRAVITY: | 0.84000 |
| EVAPORATION RATE: | NA | % VOLATILE: | 95.00000 |
| FLAMMABILITY: | Flammable | VISCOSITY (cst): | NA |

SECTION 10 - STABILITY AND REACTIVITY

| REACTIVITY: | HAZARDOUS DECOMPOSITION PRODUCTS |
|--|--|
| CHEMICAL STABILITY: | Stable under normal conditions. |
| POSSIBILITY OF HAZARDOUS REACTIONS: | Reactive with metals. |
| CONDITIONS TO AVOID: | Avoid heat and open flames. |
| INCOMPATIBLE MATERIALS: | STRONG OXIDIZERS, ALKALIS - react with metals producing flammable hydrogen gas which can form explosive mixtures with air. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11 - TOXICOLOGICAL INFORMATION

| ROUTES OF ENTRY: | Inhalation | Absorption | Ingestion |
|-------------------------|--------------------------------|--------------------------|-----------|
| | | | |
| ACUTE EXPOSURE HAZARDS: | | | |
| EYE CONTACT: | Severe eye irritation, burns. | | |
| DERMAL: | Skin irritation, can cause bui | rns with contact. | |
| ORAL: | Corrosive to mucous membr | anes. | |
| INHALATION: | MIST MAY BE MILD TO STR | ONG IRRITANT, CORROSIVE. | |

Go Clean Spot Wiser P.O.G. Page 5 of 7

1.0011

Version: 02/08/2019 Revision Date: Print Date:

Solvent (CAS No. 64742-47-8) Oral LD50: 15000 mg/kg

2-Butoxyethanol (CAS No. 111-76-2) Oral LD50: Rat 470 mg/kg

Ethoxylated Alcohol (CAS No. 68439-46-3) Oral LD50: Rat 1400 mg/kg

SECTION 12 - ECOLOGICAL INFORMATION

| ECOTOXICITY: | No data available. |
|------------------------------|--------------------|
| PERSISTENCE & DEGRADABILITY: | No data available. |
| BIOACCUMULATIVE POTENTIAL: | No data available. |
| MOBILITY IN SOIL: | No data available. |
| OTHER ADVERSE EFFECTS: | No data available. |
| | |

2-Butoxyethanol (CAS No. 111-76-2) Fish LC50: 1250mg/L, 96h, Inland Solverside Crustacean LC50: Daphnia 1818 mg/L 24h Ethoxylated Alcohol (CAS No. 68439-46-3) Fish LC50: Minnow 8.5 mg/L 96h

SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER:

NA

NA

NA

SHIPPING NAME: Limited Quantity

TECHNICAL NAME: **Consumer Commodity**

HAZARD CLASS:

PACKAGING GROUP:

SECTION 15 - REGULATORY INFORMATION

Go Clean Spot Wiser P.O.G.

Page 6 of 7 1.0011 02/08/2019 Revision Date: Print Date:

| SARA 313 COMPONENTS | CAS NO. | % LESS THAN |
|--------------------------------|------------|-------------|
| Solvent | 64742-47-8 | 50 - 60% |
| 2-Butoxyethanol | 111-76-2 | 20 - 30% |
| Ethoxylated Alcohol | 68439-46-3 | 1 - 5% |
| CALIFORNIA PROP. 65 COMPONENTS | CAS NO. | % LESS THAN |
| 2-Butoxyethanol | 111-76-2 | 20 - 30% |
| Ethoxylated Alcohol | 68439-46-3 | 1 - 5% |

RTK: PA, NJ,MA

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm ...

Constituent parts: 1,4 Dioxane (123-91-1) Ethylene Oxide (75-21-8) less than 0.1% WARNING: This product contains a chemical known in the State of California

to cause birth defects or other reproductive harm and or cancer.

Caution: HMIS ratings are based on a 0-4 rating scale, with 0

SECTION 16 - OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)


| Health Hazard | 2 |
|---------------------|---|
| Fire Hazard | 0 |
| Reactivity | 0 |
| Personal Protection | В |

- Α
- Safety Glasses Safety Glasses, Gloves В C
- Safety Glasses, Gloves, Apron D
- Face Shield, Gloves, Apron Ε
- Safety Glasses, Gloves, Dust Respirator Safety Glasses, Gloves, Apron, Dust Respirator F
- G Safety Glasses, Gloves, Vapor Respirator
- Н
- Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- Safety Glasses, Gloves, Dust & Vapor Respirator Splash Goggles, Gloves, Apron, Dust & Vapor Respirator Т
- Κ Airline Hood or Mask, Gloves, Full Suit, Boots

representing minimal hazards or risks and 4 representing X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)

significant hazards or risks.



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as

Go Clean Spot Wiser P.O.G. Page 7 of 7 Version: 1.0011 02/08/2019

Revision Date: Print Date:

described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.