

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Go Clean Spot Wiser Rust Stain Remo  
PRODUCT USE: Destainer  
MANUFACTURED FOR: Go Clean Chemical  
PO Box 46032  
Las Vegas, NV 89114  
866-839-7588  
INFORMATION PHONE: 702-387-9625  
EMERGENCY PHONE: INFOTRAC  
1-800-535-5053 USA & Canada  
352-323-3500 International

## SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 3  
Acute Toxicity - Skin: Category 5  
Skin Corrosion: Category 1A  
Eye Damage: Category 1

PICTOGRAMS:



GHS ELEMENTS:

SIGNAL WORD: Danger

HAZARD STATEMENT(S): H301 | Toxic if swallowed.  
H313 | May be harmful in contact with skin.  
H314 | Causes severe skin burns and eye damage.  
H318 | Causes serious eye damage.

PRECAUTIONARY STATEMENT(S): P260 | Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 | Wash any exposed body parts thoroughly after handling.  
P270 | Do not eat, drink or smoke when using this product.  
P280 | Wear protective gloves/protective clothing/eye protection/face protection.  
P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 | Immediately call a POISON CENTER or doctor/physician.  
 P312 | Call a POISON CENTER or doctor/physician if you feel unwell.  
 P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required).  
 P330 | Rinse mouth.  
 P405 | Store locked up.  
 P501 | Dispose of contents/container to appropriate waste disposal entity in accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS: None Known

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	FUNCTIONAL PURPOSE	PERCENT
Ammonium Bifluoride	1341-49-7	Acidity	5 - 10%
Nonylphenol ethoxylate	127087-87-0	Surfactant	1 - 5%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

### SECTION 4 - FIRST AID MEASURES

**EYES:** Corrosive to the eyes. Symptoms of redness, pain, blurred vision, and permanent eye damage may occur.

**SKIN:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Corrosive to the skin. Skin contact causes serious skin burn which may not be immediately be apparent or painful.

**INHALATION:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**INGESTION:** Do NOT induce vomiting. May cause sore throat, abdominal pain, diarrhea, vomiting, severe burns of the digestive tract, and kidney dysfunction. Rinse mouth out with water. Consult a physician.]

**GENERAL:** Move out of dangerous area. Consult a physician. Show this safety sheet to the doctor in attendance.

See Section 11 for exposure symptoms.

### SECTION 5 - FIRE FIGHTING MEASURES

**FLAMMABILITY:** In a fire or if heated, a pressure increase will occur and the container may burst.

**EXTINGUISHING MEDIA:** Use an extinguishing agent suitable for the surrounding fire.

**PROTECTIVE EQUIPMENT:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breathe vapors. Provide adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product reaches sewers, waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits. Mechanical ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

COMPONENT:	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
Ammonium Bifluoride	None	None	None

Nonylphenol ethoxylate 10.00 None None

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE:	Liquid	UPPER EXPLOSIVE LIMITS:	NA
COLOR:	Water White	LOWER EXPLOSIVE LIMITS:	NA
ODOR:	None	VAPOR PRESSURE:	NA
ODOR THRESHOLD:	NA	VAPOR DENSITY:	NA
PH:	08.1 - 10.0	RELATIVE DENSITY:	NA
MELTING POINT:	NA	SOLUBILITY:	Completely Water Soluble
FREEZING POINT:	NA	PARTITION COEFFICIENT:	NA
BOILING POINT:	NA	AUTO-IGNITION TEMPERATURE:	NA
FLASH PT METHOD:	NA	DECOMPOSITION TEMPERATURE:	NA
FLASH POINT:	NA	SPECIFIC GRAVITY:	1.03800
EVAPORATION RATE:	NA	% VOLATILE:	NA
FLAMMABILITY:	Nonflammable	VISCOSITY (cst):	NA

**SECTION 10 - STABILITY AND REACTIVITY**

REACTIVITY:	HAZARDOUS DECOMPOSITION PRODUCTS
CHEMICAL STABILITY:	Stable under normal conditions
POSSIBILITY OF HAZARDOUS REACTIONS:	Stable under normal conditions
CONDITIONS TO AVOID:	None known
INCOMPATIBLE MATERIALS:	Strong acids and oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS:	Material does not decompose at ambient temperatures.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

ROUTES OF ENTRY:	Inhalation	Absorption	Ingestion
ACUTE EXPOSURE HAZARDS:			
EYE CONTACT:	Irritation		
DERMAL:	None expected.		

ORAL: Nausea, diarrhea.  
INHALATION: Minimally toxic based on test data for structurally similar materials.

Ammonium Bifluoride (CAS No. 1341-49-7)  
Oral LD50: Rat 130 mg/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)  
Oral LD50: Rat 1600 mg/kg

## SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.  
PERSISTENCE & DEGRADABILITY: No data available.  
BIOACCUMULATIVE POTENTIAL: No data available.  
MOBILITY IN SOIL: No data available.  
OTHER ADVERSE EFFECTS: No data available.

Ammonium Bifluoride (CAS No. 1341-49-7)  
Crustacean LC50: Daphnia 10.5 mg/L 96h

## SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

## SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: UN2817  
SHIPPING NAME: Corrosive Liquids, N.O.S.  
TECHNICAL NAME: (Ammonium Bifluoride)  
HAZARD CLASS: 8  
PACKAGING GROUP: II

## SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS	CAS NO.	% LESS THAN
---------------------	---------	-------------

# Safety Data Sheet

Go Clean Spot Wiser Rust Stain Remo

Page 6 of 7

Version: 1.0011  
 Revision Date: 04/16/2018  
 Print Date: 03/12/2021

Ammonium Bifluoride	1341-49-7	5 - 10%
CALIFORNIA PROP. 65 COMPONENTS	CAS NO.	% LESS THAN
Nonylphenol ethoxylate	127087-87-0	1 - 5%

Acute/Chronic health hazard. Sara313-threshold %=1. RQ=100#

127087-87-0 Nonylphenol polyethylene glycol ether 90 - 100 %

25322-68-3 Polyethylene glycol 1 - 5 %

123-91-1 1,4-Dioxane 0 - 0.1 %

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

RTK: MA, PA, NJ,

**WARNING!** This product contains a chemical known to the State of California to cause cancer birth defects or other reproductive harm.

123-91-1 1,4-Dioxane 0 - 0.1 %

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

## SECTION 16 - OTHER INFORMATION


### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	3
Fire Hazard	0
Reactivity	0
Personal Protection	D

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

### NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

## Safety Data Sheet

Go Clean Spot Wiser Rust Stain Remo

Page 7 of 7

Version: 1.0011

Revision Date: 04/16/2018

Print Date: 03/12/2021

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY , EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.